

# EAST Search History

10/199,738

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2550	((creat\$4 or generat\$4 or format\$5) near2 (file or document or report or page)) with ((client or user) near2 (system or computer))) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 15:55
L2	44	L1 and (server with code with trans\$6 with data) and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 15:55
L3	23	L1 and (server with code with trans\$6 with data) and network and ((send\$4 or trans\$6) near2 code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 15:55
L4	23	L3 and ((send\$4 or trans\$6) near2 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 15:55
L5	2	"20050165889"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 15:55
L6	0	(web near2 log) with (script with (creat\$4 or generat\$4) with report)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 15:55
L7	11	(web near2 log) and (script with (creat\$4 or generat\$4) with report)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 15:55
L8	4	(web near2 log) and (script with (creat\$4 or generat\$4) with report) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 15:55
L9	154	(script near2 (send or receiv\$4)) and ((creat\$4 or generat\$4) with report) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 15:55

## EAST Search History

L10	15	(script near2 (send or receiv\$4)) and ((creat\$4 or generat\$4) with report) and @ad < "20010629" and (web with log)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 15:55
L11	0	((web near2 log) with (web near2 usage near2 report)) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 15:55
L12	0	((web near2 log) same (web near2 usage near2 report)) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 15:55
L13	0	(web near2 log) and (web near2 usage near2 report) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 15:55
L14	141	(web near2 log) and (web near2 (usage or hit)) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 15:55
L15	10	(web near2 log) and (web near2 (usage or hit) with report) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 15:55
L16	2	"6112238".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 15:55
L17	2	"5951642".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 15:55
L18	2	"5787253".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 15:55
L19	2	"6233600".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 15:55

## EAST Search History

L20	0	707/100.ccls. and (script near2 (send or receiv\$4)) and ((creat\$4 or generat\$4) with report) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 15:55
L21	2	709/201.ccls. and (script near2 (send or receiv\$4)) and ((creat\$4 or generat\$4) with report) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 15:55
L22	6	707/102.ccls. and (script near2 (send or receiv\$4)) and ((creat\$4 or generat\$4) with report) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 15:55
L23	1	707/101.ccls. and (script near2 (send or receiv\$4)) and ((creat\$4 or generat\$4) with report) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 15:55
L24	18	707/10.ccls. and (script near2 (send or receiv\$4)) and ((creat\$4 or generat\$4) with report) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 15:55
L25	2	709/219.ccls. and (script near2 (send or receiv\$4)) and ((creat\$4 or generat\$4) with report) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 15:55
L26	5159	(application adj code) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 15:55
L27	236	(application adj code) with (sen\$4 or transfer) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 15:55
L28	30	(application adj code) with (sen\$4 or transfer) near2 (server) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 15:55
L29	11	(application adj code) near2 (sen\$4 or transfer) near2 (server) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 15:55

## EAST Search History

L30	5	((application adj code) near2 (sen\$4 or transfer) near2 (server) with (client or user)) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 15:55
L31	11	((application adj code) near2 (sen\$4 or transfer) near2 server) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 15:55
L32	123	((application adj (program or code)) with (sent or transfer) near2 server) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 15:55
L33	2	((application adj (program or code)) with (sent or transfer) near2 server) and @ad < "20010629" and ((application adj data) with (sent or transfer) near2 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 15:55
L34	21	((application adj code) with (sent or transfer) near2 server) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 15:55
L35	5	((application adj (program or code)) with (sent or transfer) near2 server) and @ad < "20010629" and ((generat\$4 or creat\$4) near2 report)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 15:55
L36	3	((application adj (program or code)) with (sent or transfer) near2 server) and @ad < "20010629" and ((generat\$4 or creat\$4) adj2 report)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 15:55
S1	2471	((creat\$4 or generat\$4 or format\$5) near2 (file or document or report or page)) with ((client or user) near2 (system or computer))) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/26 17:11
S2	42	S1 and (server with code with trans\$6 with data) and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/26 17:14
S3	21	S1 and (server with code with trans\$6 with data) and network and ((send\$4 or trans\$6) near2 code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/26 17:15

## EAST Search History

S4	21	S3 and ((send\$4 or trans\$6) near2 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/26 17:16
S5	2	"20050165889"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/28 11:17
S6	0	(web near2 log) with (script with (creat\$4 or generat\$4) with report)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/28 11:19
S7	11	(web near2 log) and (script with (creat\$4 or generat\$4) with report)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/28 11:19
S8	4	(web near2 log) and (script with (creat\$4 or generat\$4) with report) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/28 11:22
S9	149	(script near2 (send or receiv\$4)) and ((creat\$4 or generat\$4) with report) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 10:15
S10	13	(script near2 (send or receiv\$4)) and ((creat\$4 or generat\$4) with report) and @ad < "20010629" and (web with log)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/28 11:46
S11	0	((web near2 log) with (web near2 usage near2 report)) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/28 11:48
S12	0	((web near2 log) same (web near2 usage near2 report)) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/28 11:48
S13	0	(web near2 log) and (web near2 usage near2 report) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/28 11:48

## EAST Search History

S14	130	(web near2 log) and (web near2 (usage or hit)) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/28 11:49
S15	10	(web near2 log) and (web near2 (usage or hit) with report) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/28 16:51
S16	2	"6112238".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 08:29
S17	2	"5951642".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/28 16:52
S18	2	"5787253".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/28 16:52
S19	2	"6233600".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 08:29
S20	0	707/100.ccls. and (script near2 (send or receiv\$4)) and ((creat\$4 or generat\$4) with report) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 10:16
S21	2	709/201.ccls. and (script near2 (send or receiv\$4)) and ((creat\$4 or generat\$4) with report) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 10:35
S22	6	707/102.ccls. and (script near2 (send or receiv\$4)) and ((creat\$4 or generat\$4) with report) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 10:16
S23	1	707/101.ccls. and (script near2 (send or receiv\$4)) and ((creat\$4 or generat\$4) with report) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 10:21

## EAST Search History

S24	18	707/10.ccls. and (script near2 (send or receiv\$4)) and ((creat\$4 or generat\$4) with report) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 10:21
S25	2	709/219.ccls. and (script near2 (send or receiv\$4)) and ((creat\$4 or generat\$4) with report) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 10:35
S26	5159	(application adj code) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:11
S27	236	(application adj code) with (sen\$4 or transfer) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:12
S28	30	(application adj code) with (sen\$4 or transfer) near2 (server) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:12
S29	11	(application adj code) near2 (sen\$4 or transfer) near2 (server) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:13
S30	5	((application adj code) near2 (sen\$4 or transfer) near2 (server) with (client or user)) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:15
S31	11	((application adj code) near2 (sen\$4 or transfer) near2 server) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:27
S32	21	((application adj code) with (sent or transfer) near2 server) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:27
S33	123	((application adj (program or code)) with (sent or transfer) near2 server) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:29

## EAST Search History

S34	2	((application adj (program or code)) with (sent or transfer) near2 server) and @ad < "20010629" and ((application adj data) with (sent or transfer) near2 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:28
S35	3	((application adj (program or code)) with (sent or transfer) near2 server) and @ad < "20010629" and ((generat\$4 or creat\$4) adj2 report)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:30
S36	5	((application adj (program or code)) with (sent or transfer) near2 server) and @ad < "20010629" and ((generat\$4 or creat\$4) near2 report)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:30